

18U Open Frame Rack - 4 Post - Adjustable Depth

Product ID: 4POSTRACK18U



The 18U open frame rack lets you store your servers, network and telecommunications equipment in a sturdy, adjustable depth open-frame rack.

Easy to Assemble

Designed with ease of use in mind, this 18U 4 post rack offers easy-to-read markings for both rack units (U) and depth, with a wide range of mounting depth adjustments (22 - 40 in.) that make it easy to adapt the adjustable server rack to fit your equipment.

Durable Design

This durable free standing server rack supports a static loading capacity of up to 1200 lb. (544 kg) and portable rolling weight capacity of 660 lb. (300 kg). The rack also features offers compliance with the EIA/ECA-310 standard for a universal design that's compatible with most network equipment rack equipment.

www.startech.com
1 800 265 1844



For a complete server storage solution that saves you time and hassle, the mobile server rack includes optional accessories such as casters, leveling feet and cable management hooks. The base is also predrilled for securely fastening the rack to the floor if needed, providing you with additional stability while free standing.

The Choice of IT Pros Since 1985

StarTech.com conducts thorough compatibility and performance testing on all our products to ensure we are meeting or exceeding industry standards and providing high-quality products to IT Professionals. Our local StarTech.com Technical Advisors have broad product expertise and work directly with our StarTech.com Engineers to provide support for our customers both pre and post-sales.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

www.startech.com 1 800 265 1844



Certifications, Reports and Compatibility





Applications

- Suitable for rack-mount equipment where security at the rack level is not required
- Durable storage for rack-mount servers, KVM switches, and networking equipment
- Rack-mounting A/V equipment in a radio or television studio

Features

- 18U open frame design
- Adjustable mounting depth from 22-40 in.
- Supports a static loading capacity of 1200 lb. (544 kg) and dynamic weight capacity of 660 lb. (300 kg)
- Flat packed and easy to assemble



	Warranty	2 Years
Hardware	Frame Type	Open Frame
	Industry Standards	EIA/ECA-310-E
	Mounting Hole Types	Square (For Cage Nut)
	Mounting Rail Profile	L-Shape
	Rack Type	4-Post
	Special Features	Adjustable Mounting Rails
		Base Plate with Floor-Anchoring Holes
		Built-in Cable Management
		Casters (Included)
		Grounding Lug(s)
		Leveling Feet
		Easy Assembly
		U-Markings
	U Height	18U
	Wallmountable	No
Performance	Weight Capacity (Stationary)	1202.2 lb [544 kg]
Physical Characteristics	Color	Black
	Construction Material	Steel
	Maximum Mounting Depth	40.3 in [102.4 cm]
	Minimum Mounting Depth	22.3 in [56.6 cm]
	Draduat Llaight	
	Product Height	35.6 in [90.4 cm]
	Product Height with Casters	35.6 in [90.4 cm] 38.5 in [97.7 cm]
	-	
	Product Height with Casters	38.5 in [97.7 cm]
	Product Height with Casters Product Length	38.5 in [97.7 cm] 44.1 in [111.9 cm]
Packaging Information	Product Height with Casters Product Length Product Width	38.5 in [97.7 cm] 44.1 in [111.9 cm] 23.6 in [60 cm]
	Product Height with Casters Product Length Product Width Weight of Product	38.5 in [97.7 cm] 44.1 in [111.9 cm] 23.6 in [60 cm] 58.6 lb [26.5 kg]
	Product Height with Casters Product Length Product Width Weight of Product Package Height	38.5 in [97.7 cm] 44.1 in [111.9 cm] 23.6 in [60 cm] 58.6 lb [26.5 kg] 5.1 in [13 cm]
	Product Height with Casters Product Length Product Width Weight of Product Package Height Package Length	38.5 in [97.7 cm] 44.1 in [111.9 cm] 23.6 in [60 cm] 58.6 lb [26.5 kg] 5.1 in [13 cm] 55.9 in [142 cm]



What's in the Box	Included in Package	4 - Caster
		18 - M6 Flange Nut
		18 - M6 Flat Washer
		18 - M6 Hex Screw
		8 - Cable Management Hook
		8 - Hook Mounting Screw
		2 - Left Vertical Rail
		2 - Right Vertical Rail
		8 - Corner Section
		4 - Center Section
		2 - Top Bracket
		2 - Base Bracket
		50 - M8 Hex Screw
		1 - 10mm Wrench
		1 - 13mm Wrench
		1 - Philips Head Screwdriver
		4 - Philips Head Screw
		4 - Locking Washer
		24 - M6 Screw
		24 - M6 Plastic Washer
		24 - M6 Cage Nut
		4 - Leveling Feet
		4 - Grounding Wire
		50 - M8 Flat Washer
		1 - Manual

Product appearance and specifications are subject to change without notice.