



Wiretek

RACK CABINETS

AVAILABLE:

- Flat-Pack or Assembled
- Glass door with or without vent holes



RWC
SERIES

RACK CABINETS

□ RWC Series

RACK CABINETS THAT ARE OPTIMISED FOR THE INSTALLER

STRONG CONSTRUCTION INSTALLER FRIENDLY LONG TERM RELIABILITY


Professional design & manufacture. Full enclosure secures IT equipment. All metal bolt-together construction. Attractive black powder coat finish. Ventilation and cable access ports. Optional fan locations (Fans extra). Hinged lockable door with glass. Removable side access panels. Removable back access panel (Not a door). Premium grade equipment available in flat-pack form for your assembly and economical transporting or fully assembled (lead time required).

- Elegant modern design with exquisite construction techniques
- Precise in size for no fuss and reliable installation of equipment
- Adds value to your project with a quality and convenient solution
- Heavy-duty long-life product design with Static loading of 60kg
- Convenient installation design and optional floor wheels/casters
- Cable entry on the top and bottom (Default closed, can be opened)
- Convenient access with detachable side panels with thumb-clips
- Rear back cover panel with minimal-count screw assembly access
- Side access panel locks are optional extra - Order code: LOCK21
- Top fans are optional. A kit is available - Order Code: RFK105
- Includes front door lock with two keys. Copper earth tap screw.
- Front door can be easily flipped so as to be opened from left or right
- Surface treatment with degreasing, ablation type powder coating



EXCELLENT BUILD-QUALITY

Material: cold rolled quality steel
Frame: 1.2mm, 1 piece
Front door: 1.2mm, 1 piece
Side door: 1.0mm, 2 pieces
Back frame: 1.5mm, 1 piece
L tape frame: 1.2mm, 2 pieces
Column: 1.5mm, 4 piece



□ 19" Rack Cabinets Package & Transport Options

CABINET PACKAGE & TRANSPORT OPTIONS



FLAT PACK CABINETS - PICKUP

Save when you build it yourself.


Cost does NOT include delivery. Pickup from our Sydney show room. Supplied flat packaging. Requires assembly. Instructions included.




FLAT PACK CABINETS - DELIVERY

Compact packaging saves on delivery costs.

Delivery service is available Australia wide. Due to size and weight, delivery costs vary and please allow extra time for road transport. Instructions included. Shelving and fans are optional extras.



FLAT-PACK



FULLY PRE-ASSEMBLED CABINETS – PICKUP

Cost for pick up only.


Cost does NOT include delivery. Pickup from our Sydney show room. Supplied pre-built. No assembly required. Some lead time required. Please give us ample notice for construction time.




FULLY PRE-ASSEMBLED CABINETS – DELIVERY OPTIONAL

Delivery can be arranged at additional cost.

Delivery service is available Australia wide at additional cost. Due to size and weight, cost will vary depending on delivery location. Please contact us to quote and arrange delivery.



ASSEMBLED



WALL SWING

□ RWC Series

RACK CABINETS [ROC] - WALL MOUNT SWING TYPE

WELD ASSEMBLED TYPE - HINGED BACK BOX WALL MOUNTED

Heavy duty wall-mount box-frame with premade cable entry ports. Designed to be wall mounted with back hinge to swing the entire populated cabinet open for easier rear of unit access. Professional design & manufacture to secure IT equipment. All-metal bolt-together construction. Fully adjustable internal mountings. Ventilation and cable access ports. Optional fan locations (fans are extra). Hinged lockable door (key inc.) with glass. Removable side access panels (Lock not included). Wall mount panel box is 100mm deep and can house extra rack items like power boards and patch boards (Not Included).


- Elegant modern design with exquisite construction techniques
- Precise in size for no fuss and reliable installation of equipment
- Adds value to your project with a quality and convenient solution
- Heavy-duty long-life product design with Static loading of 60kg
- Wall box installation design with the bulk cabinet that swings open
- Wall box is 100mm deep for mounting patch boards & power boards
- Convenient access with detachable side panels with thumb-clips
- Side access panel locks are optional extra - Order code: LOCK21
- Top fans are optional. A kit is available - Order Code: RFK105
- Includes front door with lock and key. Copper earth tap in base.
- Front door can be easily flipped so as to be opened from left or right
- Surface treatment with degreasing, ablation type powder coating



Wall Box Mount 100mm deep
Powerboard Patchboard
Not Included

Rack	Height	Depth	Width	Door	Code
4U	274	500+100	600	No Vents	ROC4U
6U	363	500+100	600	No Vents	ROC6U
9U	496	500+100	600	No Vents	ROC9U
12U	629	500+100	600	No Vents	ROC12U
15U	762	500+100	600	No Vents	ROC15U
18U	892	500+100	600	No Vents	ROC18U

Depth: 500 (Main unit) + 100 (back portion).
Draws recommended 450mm depth.



Lock

Shown with Side
access panel removed
(Panel Is Supplied)

Side Locks are
Optional Extras




OPTIONAL ACCESSORIES

Description	Code
Rack fan kit with power supply	RFK105
Cabinet side door lock	LOCK21

- More accessories available on the following pages.



Same high quality
features as our
RWC Series



WALL & FLOOR MOUNT

□ RWC Series

RACK CABINETS - RWC SERIES

DUE TO SIZE - DELIVERY INCURS ADDITIONAL COSTS

Professional design & manufacture. Full enclosure secures IT equipment. All metal bolt-together construction. Attractive black powder coat finish. Ventilation and cable access ports. Optional fan locations (Fans extra). Hinged lockable door with glass. Removable side access panels. Removable back access panel (Not a door). Premium grade equipment available in flat-pack form for your assembly and economical transporting or fully assembled (lead time required).

- Elegant modern design with exquisite construction techniques
- Precise in size for no fuss and reliable installation of equipment
- Adds value to your project with a quality and convenient solution
- Heavy-duty long-life product design with Static loading of 60kg
- Convenient wall installation design or optional floor wheels/casters
- Cable entry on the top and bottom (Default closed, can be opened)
- Convenient access with detachable side panels with thumb-clips
- Rear back cover panel with minimal-count screw assembly access
- Side access panel locks are optional extra - Order code: LOCK21
- Top fans are optional. A kit is available - Order Code: RFK105
- Includes front door key, copper earth tap, 12U models have casters
- Front door can be easily flipped so as to be opened from left or right
- Surface treatment with degreasing, ablation type powder coating



SUPPLIED WITH
A GLASS DOOR
WITHOUT VENTS

REMOVABLE SIDE ACCESS PANELS



DESIGNED FOR WALL MOUNTING
OR STAND-ALONE FLOOR STANDING




RAISE WITH U MARK



EARTHING SCREW




REMOVABLE
SIDE DOOR



FRONT DOOR LOCK



RWC-100 TROLLEY WHEELS
Not Included: 4U to 9U
Included: 12U to 15U




FANS VENTS

FAN KIT AVAILABLE



SIDE LOCK
OPTIONAL





REPLACEMENT
DOORS AVAILABLE

RACK CABINETS - RWC SERIES



- 1.Top cover
- 2.Bottom
- 3.Frames
- 4.Front door
- 5.Side door
- 6.Beam
- 7.L-Tape Frame
- 8.Back cover
- 9.Hang wallboard
- 10.Column



TOP:
Holes for optional
RFK105 fan kit.
(Not Included)



INSIDE:
More shelves
available, see:
SHF102
SHF107
SHF115



SIDE ENTRY:
Optional Key Lock
LOCK21 (x2)
Not Included



OPTIONAL CABINET DOORS

Replacement door for the wall mount cabinets.
Suitable for 4U, 6U, 9U and 12U wall mount
cabinets. Available in solid metal door or
vented metal door options.

REPLACE EXISTING FRONT DOORS WITH:


SOLID METAL DOOR

Rack	Width	Code
4RU	600	RWC4-DP
6RU	600	RWC6-DP
9RU	600	RWC9-DP
12RU	600	RWC12-DP



VENTED METAL DOOR

Rack	Width	Code
4RU	600	RWC4-DQ
6RU	600	RWC6-DQ
9RU	600	RWC9-DQ
12RU	600	RWC12-DQ



RACK CABINETS [RWC] - GLASS DOOR WITHOUT VENTS

Rack	Height	Depth	Width	Wheels	Packaging	Door	Code
4U	330	300	600	-	Flat Pack	No Vents	RWC4-300
4U	330	300	600	-	Assembled	No Vents	RWC43ASY
4U	330	450	600	-	Flat Pack	No Vents	RWC4-450
4U	330	450	600	-	Assembled	No Vents	RWC44ASY
4U	330	600	600	-	Flat Pack	No Vents	RWC4-600
4U	330	600	600	-	Assembled	No Vents	RWC46ASY
6U	370	300	600	-	Flat Pack	No Vents	RWC6-300
6U	370	300	600	-	Assembled	No Vents	RWC63ASY
6U	370	450	600	-	Flat Pack	No Vents	RWC6-450
6U	370	450	600	-	Assembled	No Vents	RWC64ASY
6U	370	600	600	-	Flat Pack	No Vents	RWC6-600
6U	370	600	600	-	Assembled	No Vents	RWC66ASY
9U	520	450	600	-	Flat Pack	No Vents	RWC9-450
9U	520	450	600	-	Assembled	No Vents	RWC94ASY
9U	520	600	600	-	Flat Pack	No Vents	RWC9-600
9U	520	600	600	-	Assembled	No Vents	RWC96ASY
12U	635	300	600	4x	Flat Pack	No Vents	RWC12-300
12U	635	300	600	4x	Assembled	No Vents	RWC123ASY
12U	635	450	600	4x	Flat Pack	No Vents	RWC12-450
12U	635	450	600	4x	Assembled	No Vents	RWC124ASY
12U	635	600	600	4x	Flat Pack	No Vents	RWC12-600
12U	635	600	600	4x	Assembled	No Vents	RWC126ASY
12U	720	900	600	4x	Flat Pack	No Vents	RWC12-900
12U	720	900	600	4x	Assembled	No Vents	RWC129ASY
15U	770	450	600	4x	Flat Pack	No Vents	RWC15-450
15U	770	450	600	4x	Assembled	No Vents	RWC154ASY
15U	770	600	600	4x	Flat Pack	No Vents	RWC15-600
15U	770	600	600	4x	Assembled	No Vents	RWC156ASY

DESIGNED FOR WALL MOUNTING
OR STAND-ALONE FLOOR MOUNT



RWC RACK WHEELS INCLUDED
WITH 12U & 15U MODELS ONLY

RACK CABINETS [RWC] - GLASS DOOR WITH VENTS



Rack	Height	Depth	Width	Wheels	Packaging	Door	Code
12U	635	450	600	4x	Flat Pack	With Vents	RWC12-450-1
12U	635	450	600	4x	Assembled	With Vents	RWC124ASY-1
12U	635	600	600	4x	Flat Pack	With Vents	RWC12-600-1
12U	635	600	600	4x	Assembled	With Vents	RWC126ASY-1
15U	770	450	600	4x	Flat Pack	With Vents	RWC15-450-1
15U	770	450	600	4x	Assembled	With Vents	RWC154ASY-1
15U	770	600	600	4x	Flat Pack	With Vents	RWC15-600-1
15U	770	600	600	4x	Assembled	With Vents	RWC156ASY-1
18U	900	450	600	4x	Flat Pack	With Vents	RWC18-450
18U	900	450	600	4x	Assembled	With Vents	RWC184ASY
18U	900	600	600	4x	Flat Pack	With Vents	RWC18-600
18U	900	600	600	4x	Assembled	With Vents	RWC186ASY
22U	1200	450	600	4x	Flat Pack	With Vents	RWC22-450
22U	1200	450	600	4x	Assembled	With Vents	RWC224ASY
22U	1200	600	600	4x	Flat Pack	With Vents	RWC22-600
22U	1200	600	600	4x	Assembled	With Vents	RWC226ASY
27U	1400	450	600	4x	Flat Pack	With Vents	RWC27-450
27U	1400	450	600	4x	Assembled	With Vents	RWC274ASY
27U	1400	600	600	4x	Flat Pack	With Vents	RWC27-600
27U	1400	600	600	4x	Assembled	With Vents	RWC276ASY



WALL MOUNT CABINET ACCESSORIES TO SUIT [RWC] SERIES

OPTIONAL FLOOR WHEELS

Floor wheels with locking clutch.
Fits the RWC range of cabinets.
Supplied in a pack of four.

Code
RWC-100



OPTIONAL CABINET SIDE LOCK

Cabinet lock with 2 keys
90° Turns.
To fit 18mm hole

Arm	Code
46mm	LOCK21



OPTIONAL VENTILATION FAN KIT

Cast frame 120x38mm Direct to cabinet mounting solution Fit roofs or walls Suits rack cabinets Long life bearings 12Vdc cooling fans Includes power pack Includes finger guards Includes two fans.

Code
RFK105



OPTIONAL FIXED SHELF

Solid fixed shelf metal construction
Ventilation slots. Black anodised.
To select the correct shelf: See
"Depth" value and apply it to the
"Suits" value in the table below.

Size	Suits	Code
190x482mm	300	SHF102
270x490mm	450	SHF107
345x482mm	600	SHF115



OPTIONAL 1RU SHELF

1RU rack cabinet mounting shelf.
Mountable from the front. Cage
nuts are included for installation.

Depth	Code
150mm	SHF159
200mm	SHF160
250mm	SHF172
350mm	SHF173
450mm	SHF174



OPTIONAL 2RU SHELF

2RU rack cabinet mounting shelf.
Mountable from the front. It can
hold a maximum of 30kg. Cage
nuts are included for installation.


Depth	Code
250mm	SHF150
350mm	SHF151
450mm	SHF152



OPTIONAL 2RU SHELF SLIM

Slimline design 2RU rack cabinet
mounting shelves. Mountable from
the front. They can hold a maximum
of 30kg. Heavy gauge steel. Cage
nuts are included for installation.

Depth	Code
250mm	SHF161
350mm	SHF162
450mm	SHF163



POWER RAIL - MASTER SWITCH

Output	Amps	Input	Lead	Code
6x GPO	10A	10A SAA Plug	1.8M	PDH610
8x GPO	10A	10A SAA Plug	1.8M	PDH810
8x GPO	10A	10A C14 Plug	3M	PDH818



POWER RAIL - RECESSED WITH MASTER SWITCH

Output	Amps	Input	Lead	Code
8x GPO	10A	10A SAA Plug	1.8M	PDH812



POWER RAIL - RECESSED

Output	Amps	Input	Lead	Code
6x GPO	10A	10A SAA Plug	1.8M	PDH612
8x GPO	10A	10A SAA Plug	1.8M	PDH813



POWER RAIL - 2U RECESSED

Output	Amps	Input	Lead	Code
12x GPO	10A	10A SAA Plug	1.8M	PDH1210
16x GPO	10A	10A SAA Plug	1.8M	PDH1610




MANY MORE ACCESSORIES AVAILABLE
SEE OUR WEBSITE FOR DETAILS




ENTERPRISE

□ Rack Cabinets RC Enterprise Series

FLOOR RACK CABINETS - RC SERIES




FRONT DOOR / BACK DOOR




C=Tempered glass door D=Solid iron door

Shelving and fans are available separately.

Additional door styles are available...



Available in Flat Pack or Pre-Assembled.



FLOOR RACK CABINETS [RC] - GLASS DOOR - 18U TO 45U

GLASS DOOR VERSION & METAL BACK DOOR PANEL

High quality Rack Cabinets designed for durability and reliability. Made with SPCC cold rolled steel, the 19" rack floor mount offers up to 800kg of static loading capacity. There is a stylish glass door at the front and a steel door at the back to allow access to the rack, or alternatively, by the removable side panels (Lock optional). The elegant door hinge design allows the door to open up to 180°. The cabinets includes adjustable feet, heavy duty castors and fixed shelves. This model is available from 18U to 45U.

- Reliable structure. Static loading capacity: 800kg
- Adjustable feet and heavy duty castors included.
- Optional cable entry on top and bottom panel.
- Front, rear and side panels can be removed.
- Heights from 18RU to 45RU
- Depth options from 450 to 1000 depends on models.



Rack	Height	Width	Depth	Shelf	Packaging	Delivery	Code
18U	900	600	600	1x	Flat Pack	Pickup	RC186U
18U	900	600	600	1x	Assembled	Pickup	RC186ASY
18U	990	600	800	1x	Flat Pack	Pickup	RC188U
18U	990	600	800	1x	Assembled	Pickup	RC188ASY
18U	990	600	1000	1x	Flat Pack	Pickup	RC181U
18U	990	600	1000	1x	Assembled	Pickup	RC181ASY
22U	1200	600	600	1x	Flat Pack	Pickup	RC226U
22U	1200	600	600	1x	Assembled	Pickup	RC226ASY
22U	1200	600	800	1x	Flat Pack	Pickup	RC228U
22U	1200	600	800	1x	Assembled	Pickup	RC228ASY
22U	1200	600	1000	1x	Flat Pack	Pickup	RC221U
22U	1200	600	1000	1x	Assembled	Pickup	RC221ASY
27U	1400	600	600	1x	Flat Pack	Pickup	RC276U
27U	1400	600	600	1x	Assembled	Pickup	RC276ASY
27U	1400	600	800	1x	Flat Pack	Pickup	RC278U
27U	1400	600	800	1x	Assembled	Pickup	RC278ASY
27U	1400	600	1000	1x	Flat Pack	Pickup	RC271U
27U	1400	600	1000	1x	Assembled	Pickup	RC271ASY
32U	1600	600	600	2x	Flat Pack	Pickup	RC326U
32U	1600	600	600	2x	Assembled	Pickup	RC326ASY
32U	1600	600	800	2x	Flat Pack	Pickup	RC328U
32U	1600	600	800	2x	Assembled	Pickup	RC328ASY
32U	1600	600	1000	2x	Flat Pack	Pickup	RC321U
32U	1600	600	1000	2x	Assembled	Pickup	RC321ASY
37U	1745	600	600	2x	Flat Pack	Pickup	RC376U
37U	1745	600	600	2x	Assembled	Pickup	RC376ASY
37U	1745	600	800	2x	Flat Pack	Pickup	RC378U
37U	1745	600	800	2x	Assembled	Pickup	RC378ASY
37U	1745	600	1000	2x	Flat Pack	Pickup	RC371U
37U	1745	600	1000	2x	Assembled	Pickup	RC371ASY
42U	2000	600	600	3x	Flat Pack	Pickup	RC426U
42U	2000	600	600	3x	Assembled	Pickup	RC426ASY
42U	2000	600	800	3x	Flat Pack	Pickup	RC428U
42U	2000	600	800	3x	Assembled	Pickup	RC428ASY
42U	2000	600	1000	3x	Flat Pack	Pickup	RC421U
42U	2000	600	1000	3x	Assembled	Pickup	RC421ASY
42U	2000	800	800	3x	Flat Pack	Pickup	RC4288U
42U	2000	800	800	3x	Assembled	Pickup	RC4288ASY
42U	2000	800	1000	3x	Flat Pack	Pickup	RC4218U
42U	2000	800	1000	3x	Assembled	Pickup	RC4218ASY
45U	2100	600	600	3x	Assembled	Pickup	RC456ASY
45U	2100	600	800	3x	Flat Pack	Pickup	RC458U
45U	2100	600	800	3x	Assembled	Pickup	RC458ASY
45U	2100	600	1000	3x	Flat Pack	Pickup	RC451U
45U	2100	600	1000	3x	Assembled	Pickup	RC451ASY
45U	2100	800	800	3x	Flat Pack	Pickup	RC4588U
45U	2100	800	800	3x	Assembled	Pickup	RC4588ASY
45U	2100	800	1000	3x	Flat Pack	Pickup	RC4518U

Available in Flat Pack or Pre-Assembled.




FLOOR RACK CABINETS [RC] - ALL VENT DOORS - 47U

PICKUP ONLY - DELIVERY IS AVAILABLE ON REQUEST FRONT DOOR VENTILATED - BACK DOOR VENTILATED BARN (DOUBLE)

Designed for durability and reliability. Made with SPCC cold rolled steel, the 19" rack floor mount offers up to 800kg of static loading capacity. There is a single vented door at the front and a double vented door at the back of the rack to allow access and cooling. Alternatively, there is access by taking out the removable side panels (Lock optional). The elegant door hinge design allows the door to open up to 180°. The cabinets includes adjustable feet, heavy duty castors and three (3) fixed shelves. This model is available in 47RU with assorted depths.




- Reliable structure. Static loading capacity: 800kg
- Single vented reversible door and a double vented rear door
- Adjustable feet or heavy duty castors can be used (inc.)
- Front door reversible, rear and side panels can be removed
- 47RU in height 2270mm for professional data centre storage
- Depth options from 600mm to 1100mm depending on models
- Includes four ceiling fans with power pack
- Cable management (Left & Right) and includes fixed shelves
- Includes 3 shelves, 40 sets of cage nuts, and 4 caster wheels
- This item is pickup only. Delivery is available at additional cost. Please enquire.




FANS INCLUDED

Rack	Height	Depth	Width	Packaging	Delivery	Code
47U	2270	600	600	Flat Pack	Pickup	RC476U
47U	2270	600	600	Assembled	Pickup	RC476ASY
47U	2270	800	600	Flat Pack	Pickup	RC478U
47U	2270	800	600	Assembled	Pickup	RC478ASY
47U	2270	1100	600	Flat Pack	Pickup	RC4711U
47U	2270	1100	600	Assembled	Pickup	RC4711ASY



Available in Flat Pack or Pre-Assembled.



19" Rack Cabinets Accessories To Suit RC Series

FLOOR CABINET [RC] SERIES - ACCESSORIES

REPLACEMENT FLOOR WHEELS

3" floor wheels with 2 lockable, 2 normal type. Fits cabinets. Supplied in groups of four.

Code

RWC-101



CABINET SIDE LOCK

Cabinet lock with 2 keys
Locks side cabinet access panels
(Two required)
To fit 18mm hole

Arm

Code

46mm

LOCK21



OPTIONAL RACK CEILING FANS

Tray with fans to suit floor rack cabinets. 12V Power included. Improve air circulation inside the cabinet and enhance cooling.

Type	Size	Suits	Code
2x Fans	346x410x40mm	600	RFK101
2x Fans	350x320x40mm	600	RFK102
4x Fans	550x325x40mm	800	RFK108
4x Fans	550x420x40mm	800	RFK103
4x Fans	750x325x40mm	1000	RFK107
4x Fans	750x420x40mm	1000	RFK104



CEILING FANS WITH BUILT-IN 240VAC POWER SUPPLY

Cast frame with 2x or 4x 120mm fans.
Mounts to roof of rack cabinets
Suits Floor standing servers

Type	Size	Suits	Code
2x Fans	350x320x40mm	600	RFK201
4x Fans	550x320x40mm	800	RFK203
4x Fans	750x320x40mm	1000	RFK204



FLOOR CABINET [RC] SERIES - DOOR OPTIONS


ALTERNATIVE DOOR STYLES AVAILABLE

Floor mount cabinets come standard with a standard glass door included. You may wish to order the cabinet with an alternative styled door as per below. Cost is in addition to the rack cabinet. If purchased with the rack cabinet then transportation will be included with the cabinet's transportation costs incurred.




ARC SHAPED VENTED DOOR

Rack	Width	Code
18RU	600	RC186MH
22RU	600	RC226MH
32RU	600	RC326MH
42RU	600	RC426MH
45RU	600	RC456MH




VENTED DOUBLE/BARN DOORS

Rack	Width	Code
18RU	600	RC186SD
22RU	600	RC226SD
32RU	600	RC326SD
42RU	600	RC426SD
45RU	600	RC456SD



GLASS WITH SIDE VENTS

Rack	Width	Code
18RU	600	RC186TD
22RU	600	RC226TD
32RU	600	RC326TD
42RU	600	RC426TD
45RU	600	RC456TD



HEAVY-DUTY

□ Premium Heavy Duty Rack Cabinet




800MM WIDE HEAVY DUTY SERVER RACK CABINET - 42U - 1200 KG

EXTRA WIDE 800MM - GRILL FRONT AND BARN BACK DOORS FULLY ASSEMBLED - DUE TO SIZE DELIVERY INCURS ADDITIONAL COSTS

The 42RU 800mm wide heavy duty server cabinet is designed to provide a professional, easy to use and flexible solution to customers and installers. The server is made with SPCC cold rolled steel and is capable of withstanding up to 1200kg maximum load. The server rack is built around the universal 19" standard to deliver compatibility with most common networking equipment on the market. It has a stylish arc vented front door and a vented double door at the back. There is also a fan tray at the top of the server for installing optional fans if needed. Easy to remove front (reversible) and back barn doors, plus removable side panels (Lock optional) provide excellent access flexibility for installers working in the cabinet. There are several lockable wiring access holes at the top for cable management. Accessories include 40 set of cage nuts, 3 fixed shelves, 4x cabinet feet, 4x castors, 1x 15 way vertical PDU and 1x 4 fan tray (Note: Fans are sold separately).



Rack	Height	Depth	Width	Shelf	Code
42RU	2000	1070	800	3x	RCA42108



Supplied Fully Assembled.

EXTRA HEAVY DUTY SERVER RACK CABINET - 42U - 1000 KG

HEAVY DUTY RACK CABINETS SUPPORTS UP TO 1000KG

FULLY ASSEMBLED - DUE TO SIZE DELIVERY INCURS ADDITIONAL COSTS



This professional heavy-duty server cabinet is a standardized enclosure for mounting data and telecommunication devices and their distribution systems that can handle a static load of up to one metric ton. Made with premium SPCC grade cold rolled steel, nine folds structure and pre-assembled by single piece 3-Tee joints to provide extra strength. The server rack has a single front door and at back, a double door for access and ventilation. The side panels are removable to make it easier to work with equipment inside. Accessories includes 40 sets of cage nuts, 3 fixed shelves, 4x cabinet feet, 4x castors, 15 way vertical PDU & 2x vertical cable managers.



Wiretek

Rack	Height	Depth	Width	Shelf	Code
42RU	2000	1200	600	3x	RC9-42126ASY

Nine folds and 3-Tees



Front

Back

Supplied Fully Assembled.

